

CERTIFICATE

EC-Type examination certificate 6973-11

Inepro Metering BV Manufacturer Contact person D. van der Vaart Address Pondweg 7

Postal code, Place 2153PK Nieuw-Vennep

Country The Netherlands

Production site Shanghai Fengyilong

Electronic Co., Ltd. Instrument Co., Ltd. Xinchang Town, Liyang City Address Room 20D, Building 2, No. 1251, Jiangning

Road

Postal code, Place Shanghai, 200060 Jiangsu, 213372 Country China China

Instrument Electronic single-phase two-wire energy meter

Direct connected

Mark - Type PRO-1D Register LCD **Accuracy Class** 1/B Measurement range 230 V

5(45) A 50 Hz

1000 or 2000 imp./kWh

Temperature range -25..55 °C

Use Indoor **Protection Class** П Environmental class M1, E2

Registry method 2 options are available:

(1) registration with reversal preventing device, or

(2) bidirectional method with always positive register: the meter always counts the energy of the measuring point as received energy, irrespective of the real energy

Jiangsu Liyang Electric

direction.

The energy meter meets the requirements of Directive 2004/22/EC of the European parliament and the council of 31 March 2004 on measuring instruments.

Certification was based on compliance with the following harmonised standards:

EN 50470-1 (2006) Electricity metering equipment (a.c.)-part 1: General requirements, tests and test

conditions - Metering equipment (class indexes A, B and C)

EN 50470-3 (2006) Electricity metering equipment (a.c.)-part 3: Particular requirements - Static meters for

active energy (class indexes A, B and C)

Valid until 20 oktober 2021

The results are recorded in the following annex: test report 70068240 -TIC 6973-11.

KEMA Nederland B.V. - Calibration & Metering

Arnhem, 20 oktober 2011

ir. A.P.M. Baars Certification manager

ing. S.A.M. Verhoeven Director Testing, Inspections & Certification Notified body number 2290

The investigation reported here does not confer any right to use an approbation mark granted by KEMA.

Integral publication of this certificate and adjoining reports is allowed.

This certificate is issued provided that neither KEMA nor the RvA assumes any liability.